

10/674,289

| | Hits | Search Text | DBs |
|---|--------|---|---|
| 1 | 308871 | (write\$4once or cd\$1R\$1 or worm or (optical adj disk\$) or prom) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 728352 | ((three or "3") near5 dimension\$3) or "3"\$1D | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 35570 | 112 and 113 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 13288 | 114 and @ad < "20000814" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 4562 | 115 and cell\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 414 | 116 and (re\$1writ\$4 or writ\$5over) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 7 | 390 | l17 and state\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 282 | l18 and block\$1 and (row\$1 or record\$1 or tuple\$1) and (column\$1 or field\$1 or attribute\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 39 | l19 and address\$2 and (digital near5 (file\$1 or record\$1 or document\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 4 | l20 and (cell\$1 same array\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 2 | l21 and (layer\$1 or tier\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 10 | l20 and write\$lonce | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 13 | 8 | l23 and (over\$1writ\$4 or writ\$4over) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 0 | l24 and (cell\$1 same array\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 345 | (three\$1dimensional or "3"\$1d) and (write\$1once or worm or prom) and @ad < "20000814" and (over\$1writ\$4 or writ\$4over) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 142 | l26 and block\$1 and row\$1 and column\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 38 | l27 and (cell\$1 same array\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 13 | l28 and (layer\$1 or tier\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|---|---|
| 1 | 2103 | (cd\$1R\$1 or write\$1once) and (cell\$1 with array\$1) and (state\$1 or status\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 320 | S2 and @ad < "20000814" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 3 | S3 and ((over\$1writ\$4 same pattern\$1) or (mak\$4 or caus\$4) with(difficult or impossible or unable or cannot) with read\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 3 | S4 and (delet\$5 or remov\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 1 | ("6658438").PN. | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|---|------|--|---|
| 6 | 30 | (("6658438") or ("4272880") or ("4442507") or ("4489478") or ("4498226") or ("4499557") or ("4646266") or ("4677742") or ("5070384") or ("5306935") or ("5427979") or ("5441907") or ("5535156") or ("5602987") or ("5640343") or ("5745407") or ("5835396") or ("6034882") or ("5563947") or ("5596639") or ("5065389") or ("6321360") or ("6377526") or ("5448372") or ("5241659") or ("5315178") or ("4691299") or ("4868804") or ("6104638") or ("5029125")) .PN. | US-PGPUB; USPAT |
| 7 | 29 | S1 and @ad < "20000814" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 8 | 0 | S7 and (cd\$1R\$1 or write\$1once) and (cell\$1 with array\$1) and (state\$1 or status\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 7 | S7 and (cd\$1R\$1 or write\$1once) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 5 | S9 and (((over\$1writ\$4 same pattern\$1) or (mak\$4 or caus\$4) with (difficult or impossible or unable or cannot) with read\$1) or ((delet\$4 or remov\$4 or replac\$4) with data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 25 | S1 not S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 8 | S1 and (cd\$1R\$1 or write\$1once) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 3 | S12 not S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 1 | ("6377526").PN. | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------------|--|---|
| 15 | 0 | ("83565210").PN. | US-PGPUB; USPAT |
| 16 | 1 | ("3609708").PN. | US-PGPUB; USPAT |
| 17 | 1 | ("3638185").PN. | US-PGPUB; USPAT |
| 18 | 1 | ("3897626").PN. | US-PGPUB; USPAT |
| 19 | 1 | ("4691299").PN. | US-PGPUB; USPAT |
| 20 | 0 | "managing data storage space on large capacity" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 32 | managing with data with storage with space with capacity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 0 | S21 and write\$4once | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 1 | S21 and worm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 33631 6 | (destructive or one\$1 or ascii) with pattern\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|--------|---|---|
| 25 | 136799 | (destructive or one\$1 or ascii) near3 pattern\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 79947 | S25 and @ad < "20000814" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | 1050 | S26 and (write\$4once or cd\$1R\$1 or worm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 47 | S27 and ((over\$1writ\$4 with pattern\$1) or ((mak\$4 or caus\$4) with (difficult or impossible or unable or cannot) with read\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 0 | S28 and ((switch\$4 or swap\$5) with cell\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | 23 | S28 and (switch\$4 or swap\$5) and cell\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | 424574 | ((three or "3") or "3"\$1D) near5 dimension\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |